

**New Names for the Texas Taxa of Acacia (Fabaceae)**

**Billie L. Turner**  
Plant Resources Center  
The University of Texas  
Austin, TX 78712

**ABSTRACT**

Recent DNA studies of numerous authors (Arce & Bachman 2006; Miller and Bayer, 2003; Seigler, Ebinger and Miller 2006; Seigler Ebinger and Glass, 2012; etc.) have realigned the classically conceived **Acacia**, recognizing from its midst several genera. Amongst the Texas taxa numerous name changes are in order, these having been proposed by various authors, all of these treated as **Acacia** in my Legumes of Texas (Turner, 1959), and in my Atlas of the Vascular Plants of Texas (Turner et al. 2003). Distribution maps of the **Senegalia greggii** complex in Texas are also provided. *Phytologia* 97(2): 120-122 (April 1, 2015). ISSN 030319430.

**KEY WORDS:** *Acacia*, *Acaciella*, *Senegalia*, *Vachellia*

---

The following name changes of Texas **Acacia**, sensu Turner (1959; 2003) have been proposed by various authors, largely on the basis of DNA data.

*Acacia angustissima* (Mill.) Kuntze

**Acaciella angustissima** (Mill.) Britton & Rose

var. **chisosiana** (Isely) B.L. Turner, **comb. nov.**  
based upon *Acacia angustissima* var. *chisosiana* Isely, Sida 3: 370. 1969.

var. **hirta** (Nutt.) B.L. Turner, **comb. nov.**  
based upon *Acacia hirta* Nutt., in Torr. & Gray, Fl. N. Amer. 1: 404. 1840.  
[includes *Acacia texensis* Torr. & Gray; cf. Turner 1996]

var. **filicoides** (Cav.) L. Rico, Kew. Bull. 59: 327. 2004.

*Acacia berlandieri* Benth.

**Senegalia berlandieri** (Benth.) Britton & Rose

*Acacia greggii* A. Gray

**Senegalia greggii** (A. Gray) Britton & Rose

*Acacia roemeriana* Scheele

**Senegalia roemeriana** (Scheele) Britton & Rose

*Acacia wrightii* Benth.

**Senegalia wrightii** (Benth.) Britton & Rose

Seigler, Ebinger and Miller (2006) treated this taxon at the specific level; Turner (1996) inexplicably treated the taxon at the varietal level (as *A. greggii* var. *wrightii*) and mapped it as such in his Atlas of Texas Plants (2003). Seigler, Ebinger and Glass (2012) are clearly correct in their interpretation of the complex; my restudy of the distribution of two taxa in Texas, based upon their criteria, is shown in Figs. 1 and 2.

*Acacia constricta* Benth. ex A. Gray

**Vachellia constricta** (Benth.) Seigler & Ebinger

*Acacia farnesiana* (L.) Willd.

**Vachellia farnesiana** (L.) Wight & Arn.

*Acacia rigidula* Benth.

**Vachellia rigidula** (Benth.) Seigler & Ebinger

*Acacia schaffneri* S. Wats.

**Vachellia bravoensis** (Isley) Seigler & Ebinger

*Acacia schottii* Torr.

**Vachellia schottii** (Torr.) Seigler & Ebinger

*Acacia vernicosa* Britton & Rose.

**Vachellia vernicosa** (Britton & Rose) Seigler & Ebinger

**Hybrid taxa**

*Acacia emoryana* Benth.



**Senegalia x emoryana** (Benth.) Britton & Rose  
[reportedly hybrid of **S. berlandieri** x **S. greggii**]

**Senegalia x turneri** Seigler, Ebinger & Glass  
[reportedly hybrid of **S. berlandieri** x **S. wrightii**]

I have accepted the collections (cited in Seigler, Ebinger and Glass 2012) of the above hybrids; these are mapped accordingly in my revised Atlas.

## LITERATURE CITED

- Arce, M. de L. Rico and S. Bachman. 2006. A taxonomic revision of *Acaciella* (Leguminosae, Mimosoideae). *Anal. Jard. Bot. Madrid* 63: 189-244.
- Miller, J.T. and R.J. Bayer. 2003. Molecular phylogenetics of *Acacia* subgenera *Acacia* and *Aculiferum* (Fabaceae: Mimosoideae), based on the chloroplast *matk* coding sequence and flanking *trnk* intron spacer regions. *Austral. Syst. Bot.* 16: 27-33.
- Seigler, D.S., J.E. Ebinger and C. Glass. 2012. *Senegalia*, *berlandieri*, *S. greggii*, and *S. wrightii* hybrids (Fabaceae: Mimosoideae) in Texas and adjacent Mexico. *Phytologia* 94: 439-455
- Seigler, D.S., J.E. Ebinger and J. T. Miller. 2006. The genus *Senegalia* (Fabaceae: Mimosoideae) from the New World. *Phytologia* 88: 38-93.
- Turner, B.L. 1959. Legumes of Texas. Univ. of Texas Press, Austin
- Turner, B.L. 1996. Synoptical study of the *Acacia angustissima* (Mimosaceae) complex. *Phytologia* 81: 10-15.
- Turner, B.L et al. 2003. Atlas of the Vascular Plants of Texas (Vol. 1). Sida, Bot. Misc., Bot Res. Inst. Tex., 647 pp.

Fig.1. Distribution of *Senegalia greggii*.Fig. 2. Distribution of *Senegalia wrightii*.